

## EAST SEARCH STRATEGY

10/028, 257

	Type	L #	Hits	Search Text	Dbs	Time Stamp	Comments	Error Definition	Errors
1	IS&R	L1	5350	(422/50,52,55,58,68,181,82.05,82.06,82.07,82.08,82.09).CCLS.	USPA T	2003/12/1 2 14:59			0
2	BRS	L2	1099	1 and (sensor or detector or probe).ab.	USPA T	2003/12/1 2 15:11			0
3	BRS	L3	138	2 and (lightguide or waveguide)	USPA T	2003/12/1 2 15:12			0
4	BRS	L4	134	3 and (capillar\$ or \$channel or conduit or groove or well or via)	USPA T	2003/12/1 2 15:17			0
5	BRS	L6	19	4 and capillar\$ with tube	USPA T	2003/12/1 2 15:13			0
6	BRS	L5	19	4 and capillary adj tube	USPA T	2003/12/1 2 15:03			0
7	BRS	L7	17	6 and (glass or quartz or fused adj silica or borosilicate)	USPA T	2003/12/1 2 15:04			0
8	BRS	L8	116	3 and (glass or quartz or fused adj silica or borosilicate)	USPA T	2003/12/1 2 15:04			0
9	BRS	L9	675	2 and (glass or quartz or fused adj silica or borosilicate)	USPA T	2003/12/1 2 15:13			0
10	BRS	L10	612	2 and (mirror or reflect\$)	USPA T	2003/12/1 2 15:05			0
11	BRS	L11	115	3 and (mirror or reflect\$)	USPA T	2003/12/1 2 15:05			0
12	BRS	L12	111	4 and (mirror or reflect\$)	USPA T	2003/12/1 2 15:13			0
13	BRS	L13	180	2 and refractive adj index	USPA T	2003/12/1 2 15:13			0
14	BRS	L14	65	3 and refractive adj index	USPA T	2003/12/1 2 15:06			0

	Type	L #	Hits	Search Text	Dbs	Time Stamp	Comments	Error Definition	Error Counts
15	BRS	L15	66	2 and (light or beam or optic\$) near4 \$collimated	USPA T	2003/12/1 2 15:07			0
16	BRS	L16	0	2 and (light or beam or optic\$) near4 decollimated	USPA T	2003/12/1 2 15:07			0
17	BRS	L17	0	2 and (light or beam or optic\$) with decollimated	USPA T	2003/12/1 2 15:07			0
18	BRS	L18	0	1 and (light or beam or optic\$) with decollimated	USPA T	2003/12/1 2 15:14			0
19	BRS	L19	0	2 and internal\$ adj reflect\$ near4 capillar\$	USPA T	2003/12/1 2 15:14			0
20	BRS	L20	1	3 and (lightguide or waveguide) near5 (polymethylmethacrylate or polymethylpentene)	USPA T	2003/12/1 2 15:14			0
21	IS&R	L21	3587	(436/43,164,165,171,172).CCLS.	USPA T	2003/12/1 2 15:10			0
22	BRS	L22	608	21 and (sensor or detector or probe).ab.	USPA T	2003/12/1 2 15:11			0
23	BRS	L23	136	21 and (optic\$ or photo) near3 (sensor or detector or probe).ab.	USPA T	2003/12/1 2 15:11			0
24	BRS	L25	132	21 and optic\$ near3 (sensor or detector or probe).ab.	USPA T	2003/12/1 2 15:15			0
25	BRS	L26	35	25 and (lightguide or waveguide)	USPA T	2003/12/1 2 15:16			0
26	BRS	L27	35	26 and (capillar\$ or \$channel or conduit or groove or well or via)	USPA T	2003/12/1 2 15:12			0

Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Error rs
27 BRS	L28	4	27 and capillar\$ with tube	USPA T	2003/12/1 2 15:15			0
28 BRS	L29	3	28 and (glass or quartz or fused adj silica or borosilicate)	USPA T	2003/12/1 2 15:15			0
29 BRS	L30	104	25 and (mirror or reflect\$)	USPA T	2003/12/1 2 15:16			0
30 BRS	L31	30	30 and refractive adj index	USPA T	2003/12/1 2 15:13			0
31 BRS	L32	0	25 and internal\$ adj reflect\$ near4 capillar\$	USPA T	2003/12/1 2 15:15			0
32 BRS	L33	0	25 and (light or beam or optic\$) with decolimated	USPA T	2003/12/1 2 15:14			0
33 BRS	L34	0	25 and (lightguide or waveguide) near5 (polymethylmethacrylate or polymethylpentene)	USPA T	2003/12/1 2 15:14			0
34 IS&R	L35	275	(356/300).CCLS.	USPA T	2003/12/1 2 15:14			0
35 BRS	L36	14	35 and optic\$ near3 (sensor or detector or probe).ab.	USPA T	2003/12/1 2 15:15			0
36 BRS	L37	84	35 and optic\$ near3 (sensor or detector or probe)	USPA T	2003/12/1 2 15:16			0
37 BRS	L38	3	37 and capillar\$ with tube	USPA T	2003/12/1 2 15:17			0
38 BRS	L39	42	37 and (glass or quartz or fused adj silica or borosilicate)	USPA T	2003/12/1 2 15:15			0
39 BRS	L40	0	35 and internal\$ adj reflect\$ near4 capillar\$	USPA T	2003/12/1 2 15:16			0

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
40	BRS	L41	70	37 and (mirror or reflect\$)	USPA T	2003/12/1 2 15:16			0
41	BRS	L42	14	37 and (lightguide or waveguide)	USPA T	2003/12/1 2 15:16			0
42	IS&R	L43	296	(73/1.01,1.02,1.56).C CLS.	USPA T	2003/12/1 2 15:16			0
43	BRS	L44	22	43 and optic\$ near3 (sensor or detector or probe)	USPA T	2003/12/1 2 15:16			0
44	BRS	L45	0	44 and capillar\$ with tube	USPA T	2003/12/1 2 15:17			0
45	BRS	L46	19	44 and (capillar\$ or \$channel or conduit or groove or well or via)	USPA T	2003/12/1 2 15:17			0